An Approach for Decadal Prediction over North America

Arun Kumar
Climate Prediction Center
arun.kumar@noaa.gov

With thanks to Martin P. Hoerling, ESRL

Basic Premise of Weather and Climate Predictions

 For any time-mean (daily, seasonal, decadal...), and for the variable one is interested in predicting, there is a "climatological (or a reference) Probability Density Function (PDF)";

 For specific conditions, the PDF can differ from (or sub-samples) the climatological PDF. For example, in an initial value prediction problem, a slow growth in perturbations around initial conditions, by sampling the sub-space of the climatological PDF, renders predictability.

An Example for Seasonal Predictions

- As an example for the prediction of seasonal mean <u>precipitation</u>, difference between the climatological PDF and the PDF for a particular season may occur due to
 - Atmospheric initial conditions;
 - Local initial boundary conditions (e.g., soil moisture);
 - Remote initial boundary conditions (e.g., ENSO SST);
 - Initial conditions of external forcing (e.g., CO₂; volcanic aerosols;...)
- Different factors affect the PDF on different time-scales, and with different magnitude

Decadal Predictions

- For decadal predictions predictability can arise from
 - Initial conditions in external forcings (e.g., CO₂; volcanic aerosols)
 - Initial conditions in ocean (e.g., AMOC, PDV,...), land, atmosphere
- Consider two idealized climate systems
 - System A: All variations in decadal mean arise from daily weather - No decadal predictability from any initial condition
 - System B: All variations in decadal means arise from slow decadal modes (e.g., AMOC, PDV) or from slow changes in external forcings (CO₂) When initialized, PDF of the mean for the subsequent decade can be distinguished from the reference PDF, and has higher predictability


Key Questions on Decadal Predictability & Predictions

Is the nature more like System A or System B?

- What are the slowly evolving "decadal modes" and time-scale of their predictability?
- What is the influence of "even slower evolving" external forcing?


An Approach for Decadal Prediction over North America

- Estimating response to GHG forcing for 2011-2020
 - Estimate response in SST due to CO₂ → Three estimates (one based on CMIP3 and two based on observational data)
 - Use SST estimates as a forcings in AMIP simulations to generate large ensemble of decadal means to estimate the "response" to external forcings
- Estimating magnitude of internal decadal variability
 - AMIP simulations from 1902-2004: Provide estimates of variability in decadal means due to
 - Atmospheric internal variability
 - Response due to different slow "internal modes" of SSTs
 - Sum of two is the total variability of decadal means (for a fixed external forcing)
 - CMIP3 preindustrial simulations: Provides an independent estimate for total variability of decadal means (for a fixed external forcing)




Different Estimates of 2011-2010 SST related to external forcings Ribes et al., 2010

Hurrell



CMIP3


Decadal Mean Signal (due to GHG forced SSTs)




Decadal "Signal" and the Decadal "Noise"

		AMI	P Pr	γ eindustria CMIP
Canada PPT (%)	+4.1	0.5	0.7	1.3
U.S. PPT (%)	-2.1	2.7	2.4	3.6
Canada TMP (°C)	+0.49	0.11	0.13	0.31
U.S. TMP (°C)	+0.48	0.15	0.15	0.20
2011–20 decadal signal		Internal decadal SST std dev	ATM noise std dev	Decadal noise std dev

United States: 2011_2020





United States: 2011_2020



PDF of Decadal Means

- Based on GHG forced SST response
- PDF Mean/Median shift denotes magnitude of the decadal signal due to GHG SST effect
- PDF spread denotes magnitude of "atmospheric internal variability" (and does not include the component related to the "response" due to "internal modes" of SST variability).





Summary

- Except for precipitation over NA, PDFs are well separated from the climatological PDF (1971-2000 conditions), and the signal-to-noise ratio is large
- Weather-driven noise of decadal variability is appreciable, and signifies limitations on decadal predictability
- Need to extend similar analysis back in time, and develop verification statistics;
- Could also estimate SST trajectory for the next decade and further constrain the PDF.

References

- Hoerling et al., 2011: On North American Decadal Climate for 2011-2020. J. Climate, 24, 4519-4528.
- Ribes, A., J.-M. Azais, and S. Planton, 2010: Amethod for regional climate change detection using smooth temporal patterns. Climate Dyn., 391-406, doi:10.1007/s00382-009-0670-0.
- References on SST being the mediator for the terrestrial response to external forcings:
 - Hoerling, M., T. Xu, G. Bates, A. Kumar, and B. Jha, 2006: Warm oceans raise land temperatures. Eos, Trans. Amer. Geophys. Union, 87, doi:10.1029/2006EO190003
 - Hoerling M., A. Kumar, J. Eischeid, and B. Jha, 2008: What is causing the variability in global mean land temperature. Geophys. Res.Lett., 35, L23712, doi: 10.1029/2008GL035984.
 - Dommenget, D., 2009: The ocean's role in continental climate variability and change. J. Climate, 22, 4939–4952.
 - Compo, G. P., and P. D. Sardeshmukh, 2009: Oceanic influences on recent continental warming. Climate Dyn., 32, 333–342 doi:10.1007/s00382-008-0448-9.

Backup

